# CORRIGENDUM-II

Date:-30/03/2016

# MINUTES OF PRI- BID MEETING 14/03/2016

Name of Work: Tender No.06 - Shifting of LT,HT O/H line, crossings and providing LT,HT U/G cables from Ambazari lake (CH:12500) excluding to Lad square (CH:10800) for Nagpur Metro Rail Project for E-W Corridor.

Tender No.: - N1-(U/S)/(ELE)/06-2016, Dated 01/03/2016

ender No: - (Portal):-30

| rications/ nfirm whei nd/or roac ill be in th  Soft soil/H round RCC k to be ma h half roun trench. ovide us te i.e. which anufacture e not avails rify the sar anufacture r not avails collar avail arify the sa |   | -30            | Modification Required Clarifications             | ther the road cutting Road cutting charges to the authority will be |  |                                  | lard Murum/Tar road Specifications prevail. | Hume pipe shows                     | de for the Trench                    | d RCC Hume pipe to                     |         | chnical specification of HDPE pipe is available in manufacture of all    |   | r the 130mm dia. Of                   | able in market only                    | L50mm dia. Available                | ne.           | r the half round RCC pipe As per Revised Schedule-B Annexure-I        | able in market only Full                      | n collar and half round RCC                   | lable in market.                      | me.            |  | NOW HE | r the half round RCC pipe Item no.21, 7.6.8 is self - explanatory.        |  |
|---|---|----------------|--|---|--|----------------------------------|---|-------------------------------------|--------------------------------------|--|---------|--|---|---------------------------------------|--|-------------------------------------|---------------|---|---|---|---------------------------------------|----------------|--|--------|---|--|
|   | Original Para/as per BOQ  Road Reinstatement/ Restoration Charges a) Trench with 15 cm/25 cm pipe b) HOO Chapter 17.1 Excavation (EXN)  Bore Horizontal With HOPE Pipe up to 130MM Oia. For laying of cables crossing of roads across / along the road.  BOQ Schedule B CSR No.7.6.6 Supplying & laying (including excavation) 15 ems. dia half round RCC Hume pipe with coupling collar of standard thickness at required depth up to 90 cms. below road / ground surface, for enclosing cables & necessary back filling with light ramming to make the road/ground surface as it was (Except bitumen car pet) Supplying & laying (including excavation) | - (Portal):-30 | Clarifications/Modification Required Clarificati | Please confirm whether the road cutting hard cutting charges to the | charges and/or road reinstatement borne by NMRCL. Road exc | II be in the scope of contractor | ad  | with half round RCC Hume pipe shows | brick work to be made for the Trench | along with half round RCC Hume pipe to | trench. | Please provide us technical specification of HDPE pipe is available in m | HDPE pie i.e. which rating of 10 consider | As per manufacturer the 130mm dia. Of | HDPE pipe not available in market only | 125mm, 140mm & 150mm dia. Available | ify the same. | As per manufacturer the half round RCC pipe As per Revised Schedule-B | with collar not available in market only Full | round RCC pipe with collar and half round RCC | pipe with collar available in market. | rify the same. |  | [4]    | As per manufacturer the half round RCC pipe Item no.21, 7.6.8 is self - e |  |

|  | Due to core & looping of cables, length varied.  RCC pipe will be lesser than cable length.   | Not Accepted.   | Items inclusive of all taxes.  | Tender condition will prevails.   |
|--|---|---|--|---|
| round RCC pipe with collar and half round RCC pipe with collar available in market.<br>Kindly clarify the same.  | Total HT/LT cable length is 6016 mtr and total length of RCC pipe is 9800 mtr and HOPE pipe length 600 mtr so it's not match with total cable length. | It is also suggested the total cable laying work in the road can be done by HOD method. So that damaging of the road, repairing, refilling and surface leveling. Bituminous tarring can be avoided. | As per Union Budget 2016, service tax exemption on Metro Projects has been withdrawn (NOTIFICATION No.9/2016 Service Tax). Please clarify whether we should quote with or without service tax.   | The variation in the same in near future by State or Central Government is not clear at present, hence we hereby request you to kindly make the payments of variation in taxes as per actual as and when implemented by the government.   |
| standard thickness at required depth up to 90 cms. below road / ground surface, for enclosing cable & necessary back filling with light ramming to make the road/ground surface as it was (Except bitumen carpet). | Total length of cable mismatched with total given pipe length.  | Suggestion for cable laying.  | GENERALCONDITIONS  All materials required shall be for completion of work as per standard specifications and shall be procured and brought at site by the contracting firm at its cost. The rates quoted for the items shall be inclusive of all costs of materials and labour and it shall also cover all the present taxes such as Sales Tax, Local Tax, Octroi all taxes levied by government and excise duty levied by the state and Central Government and the local body. The contractor shall not be reimbursed the above taxes on any account. | Any Additional Tax or any change in the percentage of the Tax  The present taxes such as Sales Tax, Local Tax, Octroi all taxes levied by government and excise duty levied by the state and Central Government and the local body. The contractor shall not be reimbursed the above taxes on any |
| 3  | 9   | 7   | ∞  | D   |

ř

| 10 |  |   |   |
|----|--|---|---|
| 11 | The Agency shall obtain the permission of local authority (N.D.C.) for digging the road if necessary | The Agency shall obtain the permission of local authority (N.D.C.) for digging the road however the payment for the permission of the road digging & road reinstatement shall be borne by                                 | Road cutting charges will be borne by NMRCL.  |
|    |  | We have experience in MOIL Ltd. 11 KV Line shiffing work.   | Eligible criteria will prevail as provided in |
| 12 |  | We request you to allow Joint venture for the same.   | Tender No. 06 JV accepted, Annexure-II        |
| 13 |  | We request you to allow single order of 1.1 Cr  | Not accepted.                                 |
| 14 |  | We are registered with National Small Industries Corporation (NSIC) We were already   | Not accepted.                                 |
|    |  | taking exemption against the attached NSIC Certificate.   |   |
| 15 |  | First para you are asked for at least 5 years experience with laying of U/G cable 3 Km in single order which is not acceptable to us being the similar type of work up to 1 Km of 11KV cabling, so we feel that he        | Not accepted                                  |
| 16 |  | criteria shall be 1 Km instead of 3 Km. Regarding average of annual turnover of last five financial year shall be 80% of the tenders value instead of 3.25 Crore (for example i.e. Estimated cost of tenders is           | Not accepted.                                 |
| 17 |  | 2.12 crore x 80%)  Being the above said work is utility shifting of MSEDCL we requested to kindly implement the terms & condition of MSEDCL in place NMRCL terms given the tender (i.e. 40% single order of tender value) | Not accepted.                                 |

General Manager (Proc.)

# Annexure-I Revised BOQ Estimate No. N1-(U/S)/(ELE)/06-2016

Name of Work:- Shifting of LT, HT O/H lines, crossings and providing LT,HT U/G cables from Ambazari lake(CH.12500) excluding to Lad square(10800) for Nagpur Metro Rail Project for E-W Corridor

### SCHEDULE-I B

| Sr. No. | DSR                     | Description  | Qty. | Unit | Rate     | Amount      |
|---------|-------------------------|--|------|------|----------|-------------|
| 1       | 7.3.13                  | Supplying, erecting & terminating 3 x 300 sq mm 11 KV, XLPE(E) round armoured cable to be laid in trench/pipe in an approved manner as per specification No CB-HT or latest.   | 1915 | Mtr. | 2110.00  | 4040650.00  |
| 2       | MSEDCL<br>specification | Supplying, erecting & terminating 3 x 300 sq mm 33 KV, XLPE(E) round armoured cable to be laid in trench / pipe in an approved manner as per specification No CB-HT or latest.   | 3201 | Mtr. | 3540.00  | 11331540.00 |
| 3       | 7.1.29                  | Supplying, erecting & terminating PVC armoured cable 3½ core 185 sq mm aluminum conductor with continuous 12.97 sq mm (8 SWG) G.I. earth wire complete with glands & lugs, on pole or laid in trench/ pipe as per specification no. CB-LT/AL or latest.  | 900  | Mtr. | 1061.00  | 954900.00   |
| 4       | 5.2.15                  | Supplying and erecting mini feeder pillar triple pole with 300A FPMCCB as incomer and 3 outgoing circuits with HRC Fuse base and Cartridge of 100A consisting of aluminium bus bar 500V 300A complete erected in 14 gauge CRCA sheet box with supporting angles, self locks, gasket and slanting top to be erected on foundation as per specification No. SW-SWR/MFP | 40   | Each | 48487.00 | 1939480.00  |



Dismantling of existing overhead line including G.I. wires of all sizes without 1407.60 816.00 5 8.8.3 damaging & making the coils 1.725 Km in suitable sizes and transporting to MSEDCL depot/store. Supplying, providing and erecting Heat shrinkable outdoor termination kit for 11 7.5.16 Each 15127.00 60508.00 6 KV XLPE HT cable 3x240 to 4 300 sq. mm. with necessary material as per specification No. CB-JT/HT or latest. Supplying , providing and erecting Heat shrinkable outdoor termination kit for 33 464040.00 7 7.5.18 KV XLPE HT cable 3x240 to 12 Each 38670.00 400 sq. mm. with necessary material as per specification No. CB-JT/HT or latest Supplying ,providing and erecting epoxy outdoor end termination kit for LT PVC 1605.00 12840.00 7.4.11 armoured cable 185 to 300 8 Each 8 sq. mm. with necessary material as per specification No. CB-JT/LT or latest Supplying, providing & erecting Heat shrinkable Straight through joint kit for 311366.00 28306.00 9 7.5.25 11 KV XLPE HT cable 3x300 to 11 Each 400 sq. mm. with necessary material as per specification No. CB-JT/HT or latest. Supplying, providing & erecting Heat shrinkable Straight through joint kit for 1944888.00 7.5.27 33 KV XLPE HT cable 3x300 to 22 Each 88404.00 10 400 sq. mm. with necessary material as per specification No. CB-JT/HT or latest. Supplying, providing and erecting epoxy straight through outdoor joint kit for 11 7.4.4 LT PVC armoured cable 120 to 10 Each 2799.00 27990.00 185 sq. mm. with necessary material as per specification No. CB-JT/LT or latest



Providing earthing with Galvanised cast iron earth plate size 60 x 60 x 0.6 cm with funnel with a wire mesh for watering and brick masonry 94212.00 5234.00 12 9.1.3 18 Each block C.I. cover complete with all materials, testing & recording the results as per specification No. EA-EP or Supplying and erecting G.I. strip of required size used for earthing purpose with necessary GI clamps fixed on 7110.00 45 158.00 13 9.2.3 Kg wall painted with bituminous paint in an approved manner with joint required, as per specification No (EA-EP). Supplying & erecting 11 KV outdoor type Ring Main with scada cmpatible, motorised operation, without FRTU, Gas insulated & touch proof kit (if **MSEDCL** required), as per latest 0.00 14 specification MSEDCL approval & speicifications with following configuration complete on CC foundation/MS channels/trench, etc, in an approved manner. 1153360.00 2 576680.00 i 11KV 3nos. LBS set 1900000.00 2 950000.00 ii 11KV 5nos. LBS set 2 788000.00 1576000.00 lii 11KV 4nos. LBS set Dismantling of existing poles above 6 m height with brackets, clamps, insulators, stay from the cement concrete 50 Each 615.00 30750.00 8.8.2 15 foundation and making the site clear by refilling the pits with excavated materials and bringing it to the ground level. Supplying and erecting fencing of section having size 2450 mm in height from ground level and 1200 mm width with 5286.00 79290.00 Each 16 10.2.18 15 angle iron frame work erected in C C foundation and painted as per specification No SS-AS/FSG or latest.



|    |                         | v  |      |      | N I      | 9          |
|----|-------------------------|--|------|------|----------|------------|
| 17 | 10.2.19                 | Supplying and erecting 50 x 50 x 6 mm. angle iron as corner support 2m long fixed at the middle of the fencing frame and the other side inclined at 30 degree angle, in C.C. foundation of 15 x 15 x 40cm complete duly painted with one coat of red oxide and two coats of aluminum paint.          | 10   | Each | 1060.00  | 10600.00   |
| 18 | 10.2.20                 | Supplying and erecting double leaf hinged door each 1500mm in width x 1850 mm in height using B class GI pipe with angle iron supports, chain link wire mesh (jali) complete supported on channel iron, erected in foundation, and painted as per specification no SS-AS/DLD or latest.              | 6    | Each | 16158.00 | 96948.00   |
| 19 | MSEDCL<br>specification | Bore Horizontal With HDPE<br>Pipe up to 130 MM Dia. For<br>laying of cables crossing of<br>roads across / along the road.  | 300  | Mtr  | 5602.00  | 1680600.00 |
| 20 | MSEDCL<br>specification | Bore Horizontal With HDPE Pipe up to 150 MM Dia. For laying of cables crossing of roads across / along the road.   | 300  | Mtr  | 7500.00  | 2250000.00 |
| 21 | 7.6.6                   | Supplying & laying (including excavation) 15 cms. dia half round RCC Hume pipe of standard thickness at required depth up to 90 cms. below road / ground surface, for enclosing cables & necessary back filling with light ramming to make the road/ground surface as it was (Except bitumen carpet) | 2800 | Mtr  | 472.00   | 1321600.00 |



| D |    |         |  |      | 4   |         | v ·         |  |
|---|----|---------|--|------|-----|---------|-------------|--|
|   | 22 | 7.6.8   | Supplying & laying (including excavation) 25 cm Dia half round RCC Hume pipe of standard thickness at required depth up to 90 cms. below road / ground surface, for enclosing cable & necessary back filling with light ramming to make the road/ground surface as it was (Except bitumen carpet). | 7000 | Mtr | 577.00  | 4039000.00  |  |
|   | 23 | 16.5.15 | Supplying and erecting ISI mark G.I. pipe 100 mm dia 'C" class position with accessories. As per specification No. CW-PLB/GP or latest.  | 60   | Mtr | 1821.00 | 109260.00   |  |
|   |    |         | Total  |      |     |         | 35438339.60 |  |
|   |    |         | Say  |      |     |         | 35438340.00 |  |



### **ANNEXURE-II**

33

### **Eligibility Criteria (Revised)**

Bidding is open to all bidders who satisfy the qualification criteria set forth in the bidding documents with respect to their experience and financial capabilities. The contract shall be awarded to contractors as per NMRCL policy.

The bidding is open to the Electrical Contractors registered with Central Government / State Government / Public Sector Undertaking / Urban Local Body in appropriate class.

- ❖ At least Five years experience as a Prime Contractor in the Electrical works, that require under this contract. Contractor shall have completed similar type of work such as supplying, erecting and laying of not below 11 KV Upto 33 KV cables and transformers more than 100 KVA ,11 KV RMU, LBS 11 KV & 11 KV VCB and cubical meter. Should have experience of supplying and laying of underground power cable upto 11 Kv-4Km, in single work order.
- ❖ Average Annual Turnover of last five financial years (2010-11, 2011-12, 2012-13, 2013-14, 2014-15) shall not be less than Rs. 5.5 Crore.
- ❖ Should have executed a similar type of work of underground cable in single order of value equivalent to at least 290lacks of the estimated cost in last Five years. OR two orders each of 180 lacks of the estimated cost in last five years .OR Three orders each of 145lacks of estimated cost in last five years. With any State Government/Central Government/Public sector Undertaking (PSU)/Urban local bodies during the last preceding five financial years. The completion certificate for the officer not below the rank of Executive Engineer of the concerned department.
- ❖ Should have valid Electrical License and EPF registration.

### **Eligibility Criteria for JV/Consortium**

**Bidders**: - The bidder may be a sole bidder or a group of two bidders jointly together as JV/Consortium to bid for the work and execute if awarded. In case the bidder is a sole bidder then he must comply with the criteria mentioned above. In case the bidder is a JV/ consortium then of following criteria shall apply.

- 1. A maximum number of two bidders can join to form a JV/ Consortium.
- 2. The lead member should have a share more than 50% in JV/Consortium and JV lind member not less than 25%.
- 3. Both the members must have at least 5 Years experience as prime contractors in Electrical works.



- 4. The lead member should have completed similar type of work such as supply ,erecting of not below 100 KVA , 11KVA RMU, LBS 11 KVA and11K VCB and cubical meter, 11 KV HT.
- 5. Both members jointly should have experience of supply and laying underground power cable upto 11KV-4Km.
- 6. Average annual turnover for last five financial years (2010-11,2011-12,2012-13,2013-14,2014-15) will be evaluated by multiplying the average annual turnover of each partner with their respective shares in the JV/ Consortium proposed.
- 7. Similar type of work shall be evaluated as follows:
  - a) Both the members should have completed in single contract each a value of work which should be at least Rs.180 lakh. The combined such value should not be less than Rs.360 lakh.
  - b) In case of three contracts, two contracts of lead member would be considered were in the lead member should have completed two works of combined value Rs.300 lakh & other member should have completed one work of at least Rs.100 lakh.
  - c) The experience of above work in point No 6. Should have been in State Govt/Central /PSU/ULB during last five years.
- 8. Both the member of JV/ Consortium should have valid Electrical licenses & EPF registration.
- 9. Both the member JV/ Consortium should be registered as Electrical Contractor with State Govt/Central /PSU/ULB.
- 10. The members participating in consortium/JV for the bid shall be jointly and severally responsible for all liabilities relating to the work and in accordance with the terms of contract agreement.



# Annexure-III 1) INSTRUCTIONS TO THE TENDERER JV/Consortium

### **ENVELOPE NO. 1 (DOCUMENTS AND TENDER)**

| Sr.<br>no. | Brief detailed of document/ index required  Whether enclosed or not  The first envelope clearly marked as envelope No1 shall contain the following documents  Yes No.  |  |  |  |  |  |  |  |
|------------|--|--|--|--|--|--|--|--|
|            | The first envelope clearly marked as envelope No1 shall contain the following documents.  Yes  N   |  |  |  |  |  |  |  |
| 1          | Forwarding letter clearly indicating the documents attached therein with index page denoting the documents attached and their page number.   |  |  |  |  |  |  |  |
| 2          | Document Tender Fee and EMD to be paid via online mode only.   |  |  |  |  |  |  |  |
| 3          | The tender Document including the set of clarifications/corrigendum/addendum issued by the NMRCL . A tender submitted without this would be considered as invalid.   |  |  |  |  |  |  |  |
| . 4        | Both members JV/Consortium should have Copy of Valid Registration Certificate in Electrical works with Central Government / State Government / Public Sector Undertaking / Urban Local Body in appropriate class   |  |  |  |  |  |  |  |
| 5          | Both members JV/Consortium should have Copy of Valid Electrical Contractor License.  |  |  |  |  |  |  |  |
| 6          | Copy of valid Value Added Tax Registration Certificate with relevant states  |  |  |  |  |  |  |  |
| 7          | Copy of Partnership Deed in case of Partnership Firm, Memorandum / Article of Association in case of Company & Power of Attorney.  |  |  |  |  |  |  |  |
| 8          | Details of work tendered for & in hand. ( Also information to be given in Statement I )  |  |  |  |  |  |  |  |
| 9          | Similar type of work shall be evaluated as follows:-  a) Both the members should have completed in single contract each a value of work which should be at least Rs.180 lakh. The combined such value should not be less than Rs.360 lakh.  b) In case of three contracts, two contracts of lead member would be considered were in the lead member should have completed two works of combined value Rs.300 lakh & other member should have completed one work of at least Rs.100 lakh.  c) The experience of above work in point No 6. Should have been in State Govt/Central /PSU/ULB during last five years. |  |  |  |  |  |  |  |
| 10         | Statement showing Average annual turnover for last five financial years (2010-11,2011-12,2012-13,2013-14,2014-15) will be evaluated by multiplying the average annual turnover of each partner with their respective shares in the JV/ Consortium proposed. (Information to be given in statement II- A)   |  |  |  |  |  |  |  |
| 11         | Copy of Affidavit past contractual performance shall be submitted (ANNEXURE - I)   |  |  |  |  |  |  |  |

### **Important Note:**

- 1.1) The Envelope no. 2 will be opened only after ascertain the technical eligibility confirmed on the basis of documents submitted in Envelop No. 1.
- 1.2) All copies duly signed and scanned in connection with the tender.
- 1.3) Tenderer should not quote his offer any where directly or indirectly in Envelope No. 1.If the financial offer is found to be quoted in any document in Envelope no. 1, then his submitted tender will be rejected outright and his bid will not be considered for further evaluation.
- 1.4) Similar type of works: The similar type of work as stated in <u>Sr.No.9</u> above shall cover Electrical / Shifting work of L.T. & H.T. line, underground cable and Substation work including commissioning.
- 1.5) Details of all similar types of works executed in the last five years. The certificate should be signed by the authority with for whom the contractor has executed the work and shall be submitted along with statement II
- 1.6) The entire bid document along with all corrigendum and addendum issued from time to time and requisite enclosures
  Required shall be uploaded in the E-Tender portal of NMRCL by the authorized representative/signatory on behalf of the
  bidder with his digital signature. The bidder who fails to upload as mentloned aforesaid the entire document, his bid shall be
  treated as non-responsive and not considered for evaluation. Digitally signed tender document should be uploaded to the
  Envelope No. 1
- 1,7) For road crossing of cable trench is not permitted, only Horizontal bore is permitted at required depth.
- 1.8) Every statement shall be given index no. on top.



### **Annexure-IV**

### Form of Joint Bidding Agreement

|               | (To be executed in India on a non judicial Stamp paper of appropriate value)   |
|---------------|--|
| THIS JO<br>20 | DINT BIDDING AGREEMENT (the "Agreement") is entered into on this the day of  |
| AMON          | GST  |
| 1,            | {  |
| AND           |  |
| 2.            | {  |
|               | The above mentioned parties of the FIRST and SECOND PART are collectively referred to as the "Parties" and each is individually referred to as a "Party"   |
| WHERI         | EAS,   |
| (A)           | NAGPUR METRO RAIL CORPORATION LIMITED, represented by the and having its principal offices at  |
| (B)           | The Parties are interested in jointly bidding for the Project as members of a Consortium / JV and in accordance with the terms and conditions of the ITB document and other bid documents in respect of the Project, and |
| (C)           | It is a necessary condition under the ITB document that the members of the Consortium shall enter into a Joint Bidding Agreement and furnish a copy thereof with the Bid.  |

### NOW IT IS HEREBY AGREED as follows:

The members of the JV/Consortium to fill in their name and the relevant law and the jurisdiction of incorporation.

### 1. Definitions and Interpretations

In this Agreement, the capitalised terms shall, unless the context otherwise requires, have the meaning ascribed thereto under the ITB.

### 2. Consortium

- 2.1 The Parties do hereby irrevocably constitute a consortium (the "Consortium") for the purposes of jointly participating in the bidding process for the Project.
- 2.2 The Parties hereby undertake to participate in the bidding process only through this Consortium and not individually and/ or through any other consortium constituted for this Project, either directly or indirectly.

### 3. Covenants of their Associates

The Parties hereby undertake that in the event the Consortium is declared the selected Bidder and awarded the Project, it shall enter into a Contract Agreement with the Employer and for performing all its obligations as the Contractor in terms of the Contract Agreement for the Project.

### 4. Role of the Parties

The Parties hereby undertake to perform the roles and responsibilities as described below:

- (a) Party of the First Part shall be the Lead member of the Consortium and shall have the power of attorney from all Parties for conducting all business for and on behalf of the Consortium under the Contract Agreement;
- (b) Party of the Second Part shall be {\_\_\_\_\_\_;}

### 5. Joint and Several Liability

The Parties do hereby undertake to be jointly and severally responsible for all obligations and liabilities relating to the Project and in accordance with the terms of the Contract Agreement.

### 6. Participation in the Consortium / JV

6.1 The Parties agree that the proportion of shareholding among the Parties in the Consortium / JV shall be as follows:

First Party:

Second Party:

### 7. Representation of the Parties

Each Party represents to the other Parties as of the date of this Agreement that:

- (a) Such Party is duly organized, validly existing and in good standing under the laws of its incorporation and has all requisite power and authority to enter into this Agreement;
- (b) The execution, delivery and performance by such Party of this Agreement has been authorized by all necessary and appropriate corporate or governmental action and a copy of the extract of the charter documents and board resolution/ power of attorney in favour of the person executing this Agreement for the delegation of power and authority to execute this Agreement on behalf of the Consortium Member is annexed to this Agreement, and will not, to the best of its knowledge:
  - (i) require any consent or approval not already obtained;
  - (ii) violate any applicable law presently in effect and having applicability to it;
  - (iii) violate the memorandum and articles of association, by-laws or other applicable organizational documents thereof;
  - (iv) violate any clearance, permit, concession, grant, license or other governmental authorization, approval, judgment, order or decree or any mortgage agreement, indenture or any other instrument to which such Party is a party or by which such Party or any of its properties or assets are bound or that is otherwise applicable to such Party; or
  - (v) create or impose any liens, mortgages, pledges, claims, security interests, charges or encumbrances or obligations to create a lien, charge, pledge, security interest, encumbrances or mortgage in or on the property of such Party, except for encumbrances that would not, individually or in the aggregate, have a material adverse effect on the financial condition or prospects or business of such Party so as to prevent such Party from fulfilling its obligations under this Agreement;
- (c) this Agreement is the legal and binding obligation of such Party, enforceable in accordance with its terms against it; and
- (d) there is no litigation pending or, to the best of such Party's knowledge, threatened to which it or any of its affiliates is a party that presently affects or which would have a material adverse effect on the financial condition or prospects or business of such Party in the fulfillment of its obligations under this Agreement.

### 8. Termination

This Agreement shall be effective from the date hereof and shall continue in full force and effect until the completion of the Project is achieved under and in accordance with the Contract Agreement, in case the Project is awarded to the Consortium. However, in case the Consortium does not get selected for award of the Project, the Agreement will stand terminated upon return of the Bid Security by the Employer to the Bidder, as the case may be.



- 9. Miscellaneous
- 9.1 This Joint Bidding Agreement shall be governed by laws of {India}.
- 9.2 The Parties acknowledge and accept that this Agreement shall not be amended by the Parties without the prior written consent of the Employer.

IN WITNESS WHEREOF THE PARTIES ABOVE NAMED HAVE EXECUTED AND DELIVERED THIS AGREEMENT AS OF THE DATE FIRST ABOVE WRITTEN.

SIGNED, SEALED AND DELIVERED For and on behalf of LEAD MEMBER by: SIGNED, SEALED AND DELIVERED

SECOND PART

(Signature) (Name) (Designation) (Address) (Signature) (Name) (Designation) (Address)

### Notes:

- 1. The mode of the execution of the Joint Bidding Agreement should be in accordance with the procedure, if any, laid down by the applicable law and the charter documents of the executant(s) and when it is so required, the same should be under common seal affixed in accordance with the required procedure.
- 2. Each Joint Bidding Agreement should attach a copy of the extract of the charter documents and documents such as resolution / power of attorney in favour of the person executing this Agreement for the delegation of power and authority to execute this Agreement on behalf of the Consortium Member.



## Form of Legal Capacity / Power of Attorney (Refer ITB20.2)

(To be forwarded on the letterhead of the Bidder/ Lead Member of Consortium)

| Ref. Date:   |
|--|
| To,  |
| ******   |
| ******   |
| Dear Sir,  |
|  |
| We hereby confirm that we/ our members in the Consortium (constitution of which has been described in the bid) satisfy the terms and conditions laid out in the ITB document.  |
| We have agreed that (insert member's name) will act as the Lead Member of our consortium.*   |
| We have agreed that (insert individual's name) will act as our representative/ will act as the representative of the consortium on its behalf* and has been duly authorized to submit the bid. Further, the authorised signatory is vested with requisite powers to furnish such letter and authenticate the same. |
| Thanking you,  |
| Yours faithfully,  |
| (Signature, name and designation of the authorised signatory)  |
| For and on behalf of   |





### Power of Attorney for signing of Bid

| Know all men by these presents, We  |
|---|
| AND we hereby agree to ratify and confirm and do hereby ratify and confirm all acts, deeds and things done or caused to be done by our said Attorney pursuant to and in exercise of the powers conferred by this Power of Attorney and that all acts, deeds and things done by our said Attorney in exercise of the powers hereby conferred shall and shall always be deemed to have been done by us. |
| IN WITNESS WHEREOF WE,, THE ABOVE NAMED PRINCIPAL HAVE EXECUTED THIS POWER OF ATTORNEY ON THIS DAY OF   |
| Signature of the Authorized Representative:   |
| Initial of the Authorized Representative:   |
| Signed before me and the signature is   |
| attested For  |
| (Signature, name, designation and address)  |
| Witnesses:  |
| 1. (Notarised)  |
| 2.  |
| Accepted  |
| CORPORT -   |
| (Signature)   |
| (Name, Title and Address of the Attorney)   |

### Notes:

- The mode of execution of the Power of Attorney should be in accordance with the procedure, if any, laid down by the applicable law and the charter documents of the executant(s) and when it is so required, the same should be under common seal affixed in accordance with the required procedure.
- Wherever required, the Bidder should submit for verification the extract of the charter documents and documents such as a board or shareholders' resolution/ power of attorney in favour of the person executing this Power of Attorney for the delegation of power hereunder on behalf of the Bidder.
- For a Power of Attorney executed and issued overseas, the document will also have to be legalised by the Indian Embassy and notarised in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by bidder/members of the Consortium from countries that have signed the Hague Legislation Convention 1961 are not required to be legalised by the Indian Embassy if it carries a conforming Appostille certificate.



### Power of Attorney for Lead Member of Consortium

| Whereas the ***** ("the Employer") has invited applications from interested parties for the ***** Project (the "Project").   |
|--|
| Whereas,   |
| Whereas, it is necessary for the Members of the Consortium to designate one of them as the Lead Member with all necessary power and authority to do for and on behalf of the Consortium, all acts, deeds and things as may be necessary in connection with the Consortium's bid for the Project and its execution. |
| NOW THEREFORE KNOW ALL MEN BY THESE PRESENTS   |
| We,  |

AND hereby agree to ratify and confirm and do hereby ratify and confirm all acts, deeds and things done or caused to be done by our said Attorney pursuant to and in exercise of the powers conferred by this Power of Attorney and that all acts, deeds and things done by our said Attorney in exercise of the powers hereby conferred shall and shall always be deemed to have been done by us/ Consortium.



| IN WITNESS WHEREOF WE THE PRINCIPALS POWER OF ATTORNEY ON THIS | S ABOVE NAMED HAVE EXECUTED THIS DAY OF 2 |
|--|---|
|  | For                                       |
|  | (Signature)                               |
|  | (Name & Title)                            |
|  | For(Signature)                            |
|  | (Name & Title)                            |
|  |   |
| Accepted:  |   |
| Witnesses:   |   |
| L.   |   |
| 2.   |   |

(Executants)

(To be executed by all the Members of the Consortium)

### Notes:

- The mode of execution of the Power of Attorney should be in accordance with the procedure, if any, laid down by the applicable law and the charter documents of the executant(s) and when it is so required, the same should be under common seal affixed in accordance with the required procedure.
- Also, wherever required, the Bidder should submit for verification the extract of the charter documents and documents such as a board or shareholders' resolution/ power of attorney in favour of the person executing this Power of Attorney for the delegation of power hereunder on behalf of the Bidder.
- For a Power of Attorney executed and issued overseas, the document will also have to be legalised by the Indian Embassy and notarised in the jurisdiction where the Power of Attorney is being issued. However, the Power of Attorney provided by Applicants from countries that have signed the Hague Legislation Convention 1961 are not required to be legalised by the Indian Embassy if it carries a conforming Appostille certificate.



### Tender Index

24

The Bidder shall include with his Tender an index which cross refers all of the Employer's tender requirements elaborated in Bid Documents to all the individual sections within Technical Package and Financial Package which the Bidder intends to be the responses to each and every one of those requirements.

The Bid submitted must be clearly presented, all pages numbered and aid out in a logical sequence with main and subheadings to facilitate evaluation.

